

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20040264476".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 10:29
S2	1068	455/436,438-444,411.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:36
S3	415	370/331,353.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:34
S4	213	379/142.05,221,220.01,173.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 11:57
S5	78	380/247.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 11:00
S6	317	726/4.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 11:59

S7	146	340/5,8,2,23.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:00
S8	867	709/132,229.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:01
S10	2882	S2 S3 S4 S5 S6 S7 S8	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:02
S11	104589	(first or second) near3 network	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:22
S12	885	S10 and S11	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:04
S13	7242	global near3 address	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 16:30
S14	34	S12 and S13	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:04
S15	1598690	identif\$5	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:13

S16	34	S14 and S15	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:05
S17	3703	direct near3 traffic	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:05
S18	3	S16 and S17	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:13
S19	45120	identif\$5 near3 network	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:19
S20	22	S16 and S19	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:19
S21	573468	((mobile or cell or cellular or wireless or portable) adj (phone or telephone or terminal or device or station))	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:15
S22	10	S20 and S21	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:15
S23	9559	identif\$5 adj network	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:19

S24	10	S16 and S23	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:19
S25	48746	(first and second) near3 network	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:22
S26	8	S24 and S25	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:25
S27	495384	(rout\$3 or direct\$3) near3 (traffic or information or communication or data)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 12:28
S28	8	S26 and S27	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 15:21
S29	29572	network adj access	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 13:57
S30	7	S28 and S29	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 13:57
S31	4738	(network adj access) near3 (point or entity)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 13:57

S32	2	S28 and S31	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 14:04
S33	2	S13 and S32	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 14:04
S34	4	S28 and (firewall or proxy)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 15:25
S35	0	S34 and S31	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 15:22
S36	293	"fast binding update" or fbu	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 15:44
S37	0	S34 and S36	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 15:26
S38	0	S28 and S36	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 15:27
S39	0	S24 and S36	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 15:28

S40	214653	access near3 (entity or device or point)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:31
S41	4	S34 and S40	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:30
S42	9547	access near3 entity	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:32
S43	0	S41 and S42	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:33
S44	2	"6473411".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:33
S45	3712	370/310.1,310.2,328,331,352,369,392,399,395.21,353.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:35
S46	1259	455/432,436,438-444,411,560.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:37
S47	4784	S45 S46	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 09:55

S48	149	S42 and S47	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 15:38
S50	0	S48 and S36	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 15:39
S51	116	S48 and S27	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 15:40
S52	51	S25 and S51	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 15:41
S53	6	S23 and S62	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 15:41
S54	10793	"fast binding update" or f\$bu	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 15:44
S55	0	S53 and S54	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 15:44
S56	0	S52 and S54	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 15:45

S57	2	S47 and S64	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 15:45
S58	5	(US-20060184681-\$ or US-20040090937-\$ or US-20020191562-\$).did. or (US-6389010-\$ or US-6473411-\$).did.	US-PGRUB; USPAT	OR	ON	2007/05/15 16:29
S59	0	S58 and tunneling	US-PGRUB; USPAT	OR	ON	2007/05/15 16:29
S60	150	S12 and tunnel\$4	US-PGRUB; USPAT	OR	ON	2007/05/15 16:30
S61	2495	global adj address	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 16:31
S62	1	S60 and S61	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 16:31
S63	6	(unknown near3 (global near3 address))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:24
S64	0	S47 and S63	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:30
S65	6	((unknown or "not known")near3 (global near3 address))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:25
S66	6	((unknown or "not known") near3 (global near3 address))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:29

S67	220	(encapsulat\$4 or tunnel\$4) same (global near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 17:30
S68	22	S47 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 17:31
S69	12	S21 and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 17:31
S70	9	S11 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 17:32
S71	5	S70 and (hand\$off or hand\$over)	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/15 17:32
S72	10793	"fast binding update" or f\$bu	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/16 09:56
S73	3	"S447" and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/16 09:56
S74	4	(US-20020191562-\$ or US-20050226197-\$ or US-20060198372-\$).did. or (US-6992995-\$).did.	US-PGPUB; USPAT	OR	ON	2007/05/16 14:23
S75	10	(US-20060184681-\$ or US-20040090937-\$ or US-20020191562-\$ or US-20010044305-\$ or US-20050226197-\$ or US-20060198372-\$).did. or (US-6389010-\$ or US-6473411-\$ or US-6992995-\$ or US-6970459-\$).did.	US-PGPUB; USPAT	OR	ON	2007/05/16 14:24

S76	35702	message near3 identi\$4	US-PGPUB; USPAT	OR	ON	2007/05/16 14:26
S77	28433	message near2 identi\$4	US-PGPUB; USPAT	OR	ON	2007/05/16 14:25
S78	0	S74 and S77	US-PGPUB; USPAT	OR	ON	2007/05/16 14:26
S79	0	S74 and S76	US-PGPUB; USPAT	OR	ON	2007/05/16 14:26
S80	3	S75 and S77	US-PGPUB; USPAT	OR	ON	2007/05/16 14:30
S81	2338	send\$3 near3 message near3 identify\$3	US-PGPUB; USPAT	OR	ON	2007/05/16 14:32
S82	3712	370/310.1,310.2,328,331,352,389,392,399,395.21,353.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 14:32
S83	1259	455/432,436,438-444,411,560.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 14:32
S84	4784	S82 S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 14:32
S85	65	S81 and S84	US-PGPUB; USPAT	OR	ON	2007/05/16 14:34
S86	7242	global near3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 14:34
S87	5	S85 and S86	US-PGPUB; USPAT	OR	ON	2007/05/16 14:37
S88	310	S81 and (network adj access)	US-PGPUB; USPAT	OR	ON	2007/05/16 14:38

S89	104589	(first or second) near3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 14:38
S90	174	S88 and S89	US-PGPUB; USPAT	OR	ON	2007/05/16 14:38
S91	9	S86 and S90	US-PGPUB; USPAT	OR	ON	2007/05/16 14:53
S92	3893	direct\$3 adj traffic	US-PGPUB; USPAT	OR	ON	2007/05/16 14:54
S93	0	S75 and S92	US-PGPUB; USPAT	OR	ON	2007/05/16 14:54
S94	0	S75 and S90	US-PGPUB; USPAT	OR	ON	2007/05/16 14:55
S95	94	S86 and S92	US-PGPUB; USPAT	OR	ON	2007/05/16 14:55
S96	5	S84 and S95	US-PGPUB; USPAT	OR	ON	2007/05/16 14:55
S97	5989	(monitor\$3 or prob\$3 or check\$3 or track\$3) same ((attribute or quality or property or characteristic) near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 16:17
S98	104	S84 and S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 16:18
S99	3406	(monitor\$3 or prob\$3 or check\$3 or track\$3) with ((attribute or quality or property or characteristic) near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 16:17
S100	63	S84 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 16:18

S101	44	S100 and identify\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/16 16:19
S102	34	S101 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/16 16:20
S103	82545	obtain\$3 adj information	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/16 16:20
S104	7	S102 and S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/16 16:22
S105	573468	((mobile or cell or cellular or wireless or portable) adj (phone or telephone or terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/16 16:22
S106	0	S105 and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/05/16 16:22
S107	104	("not known" or unknown) near2 ((mobile or wireless or portable) adj (entity or phone or telephone or device or apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:40
S108	0	((("not known" or unknown) near2 ((mobile or wireless or portable) adj (entity or phone or telephone or device or apparatus))) with ("global address" or (global near2 address)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:40

S109	0	((("not known" or unknown) near2 ((mobile or wireless or portable) adj (entity or phone or telephone or device or apparatus))) same ("global address" or (global near2 address)))	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:22
S110	0	((("not known" or unknown) near2 ((mobile or wireless or portable) adj (entity or phone or telephone or device or apparatus))) and ("global address" or (global near2 address)))	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:22
S111	1357	455/432,436,438-444,411,560.ccls. and (@r!ad<"20030627" or @r!ad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 20:50
S112	2	S107 and S111	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:25
S113	12	("not known" or unknown) with ("global address" or (global near2 address))	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:28
S114	0	S113 and S111	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:38
S115	0	S113 and (hand\$off or hand\$over)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:26
S116	6	("not known" or unknown) near3 ("global address" or (global near2 address))	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:26

S117	1	S116 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:27
S118	1	S113 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:38
S119	0	("not known" or unknown) with ("global address" or (global near2 address)) with mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:28
S120	0	("not known" or unknown) with ("global address" or (global near2 address)) with entity	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:29
S121	2	("not known" or unknown) same ("global address" or (global near2 address)) same mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:29
S122	0	S121 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:29
S123	184	("not known" or unknown or unaware or "without notifying" or encapsulated) near2 ((mobile or wireless or portable) adj (entity or phone or telephone or device or apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:33
S124	3	S123 and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:41

S125	0	((("not known" or unknown) near2 ((mobile or wireless or portable) adj (entity or phone or telephone or device or apparatus))) and ("global address" or (global near2 address)))	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:37
S126	4	((("not known" or unknown) near2 ((mobile or wireless or portable) adj (entity or phone or telephone or device or apparatus))) with address	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:37
S127	0	S126 and S111	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:38
S128	2	S126 and (@riac<"20030627" or @riac<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 18:37
S129	60	encapsulat\$4 with ("global address" or (global near2 address))	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 20:51
S130	2	S129 and S111	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 17:41
S131	109	(network near2 access) with ("global address" or (global near2 address))	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 18:36
S132	2365	mobile near2 entity	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 18:29

S133	2	S131 and S132	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 18:30
S134	153794	mobile near2 (entity or agent or device or apparatus)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 18:30
S135	27	S131 and S134	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 18:42
S136	3	S135 and unknown	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 18:30
S137	12	(network near2 access) with ("global address" or (global near2 address)) with (first and second)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 18:37
S138	5	S137 and (@riad<"20030627" or @riad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 20:25
S139	318219	unaware or unknown	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 18:41
S140	253	S111 and S139	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 18:42

S141	0	S138 and S140	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 18:42
S142	2	S138 and S139	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 18:42
S143	402	fast near2 binding	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 20:24
S144	1	S111 and S143	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 20:19
S145	162	S143 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 20:21
S146	49	fast near2 binding near2 update	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 20:24
S147	3	S146 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 20:25
S148	282	455/437-439.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2007/10/25 20:50

S149	2	S148 and ("global address" or (global near2 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 20:51
S150	93	("4791665" "4933967" "5270701" "5333184" "5369684" "5400390" "5467381" "5467388" "5473681" "5475749" "5506894" "5515427" "553107" "5539817" "5550910" "5550912" "5550915" "5553129" "5566235" "5583926" "5598464" "5610977" "5625681" "5661792" "5689555" "5696816" "5699416" "5703939" "5724658" "5732131" "5748724" "5757894" "5758281" "5761620" "5764745" "5768358" "5832382" "5839072").PN. OR ("6064887").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/25 21:09
S151	11085	"fast binding update" or f\$bu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 11:00
S152	652	S151 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 11:02
S153	2671	global adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 11:02
S154	0	S152 and S153	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 11:03
S155	8	S151 and S153	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 11:05
S156	863	(fast near3 (hand\$over or hand\$off))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 11:44

S157	946	(global IP address)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/03/20 11:45
S158	15	S156 S157	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	AND	ON	2008/03/20 11:45
S159	2	("20050226197").PN.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/03/20 11:49
S160	3	("6907017").PN.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/03/20 11:50
S161	6	par same (global address)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/03/20 12:47
S162	1	par same (global ip address)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/03/20 12:48
S163	269	(encapsulat\$4 or mask\$3 or tunnel\$4) same (global address)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/03/20 12:53
S164	70	(encapsulat\$4 or mask\$3 or tunnel\$4) same (global ip address)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/03/20 12:53

S165	79	(encapsulat\$4 or mask\$3 or tunnel\$4 or unknown) same (global ip address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 12:54
S166	2	((("not" aware) or unaware) with (global near2 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 14:31
S167	14	((("not" aware) or unaware or unknown) with (global near2 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 14:32
S168	4297	370/310.1,310.2,328,331,352,389,392,399,395.21,353.cds. and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 14:32
S169	0	S167 and S168	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 14:32
S170	4	"370"/\$.cds. and S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 14:33
S171	6	("20040024901" "6549522" "6636522" "6654359").PN. OR ("6907017"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/03/20 14:40
S172	0	S171 and (gobal near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 14:48

S173	211	((global or lp) address) with (encapsulat\$4 or transparent or tunnel\$4 or unknown or unaware or ("not" aware)) with (UE or ((mobile or wireless or cell or cellular or portable or hand\$held) adj (phone or telephone or device or unit or terminal)))	US-PGPUB; USPAT; FPRS; EPC; JPC; DERWENT; BM_TDB	ADJ	ON	2008/03/20 14:56
S174	7	S156 and S173	US-PGPUB; USPAT; FPRS; EPC; JPC; DERWENT; BM_TDB	ADJ	ON	2008/03/20 14:57
S175	40	("5987062" "6052725" "6195705" "6215779" "6298060" "6411807" "6421714" "6424653").PN. OR ("6651105").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/03/20 15:01
S176	0	((unknown or masked or transparen\$3) near3 (global near3 address)) with (UE or ((mobile or wireless or cell or cellular or portable or hand\$held) adj (phone or telephone or device or unit or terminal)))	US-PGPUB; USPAT; FPRS; EPC; JPC; DERWENT; BM_TDB	ADJ	ON	2008/03/20 17:40
S177	0	((unknown or masked or transparen\$3) near3 (global near3 address)) same (UE or ((mobile or wireless or cell or cellular or portable or hand\$held) adj (phone or telephone or device or unit or terminal)))	US-PGPUB; USPAT; FPRS; EPC; JPC; DERWENT; BM_TDB	ADJ	ON	2008/03/20 17:40
S178	17	((unknown or masked or transparen\$3) near3 ((global or lp) near3 address)) same (UE or ((mobile or wireless or cell or cellular or portable or hand\$held) adj (phone or telephone or device or unit or terminal)))	US-PGPUB; USPAT; FPRS; EPC; JPC; DERWENT; BM_TDB	ADJ	ON	2008/03/20 17:41
S179	670	fast near3 binding	US-PGPUB; USPAT; FPRS; EPC; JPC; DERWENT; BM_TDB	ADJ	ON	2008/03/20 18:41
S180	194	fast binding	US-PGPUB; USPAT; FPRS; EPC; JPC; DERWENT; BM_TDB	ADJ	ON	2008/03/20 18:41
S181	4	(US-20010044305-\$ or US-20070127495-\$).did. or (US-6907017-\$ or US-6651105-\$).did.	US-PGPUB; USPAT	ADJ	ON	2008/03/20 18:42

S182	0	S180 and S181	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 18:43
S183	56	(fast binding) near2 updat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/20 18:43
S184	62332	("709").CLAS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 18:44
S185	2	S183 S184	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 18:45
S186	13	(global address) with (hand\$over or hand\$off)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/31 10:21
S187	4	S186 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:23
S188	34	(global near3 address) same (hand\$over or hand\$off)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/31 10:29
S189	825	(access near4 router) same (hand\$over or hand\$off)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/31 10:29

S190	16	S188 and S189	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/10/31 10:29
S191	3	S190 and (@riad<"20030627" or @riad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/10/31 10:30
S192	326	(access near4 router) with (discover\$3 or find\$3)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/10/31 10:39
S193	129	(access near2 router) near4 (discover\$3 or find\$3)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/10/31 10:39
S196	83	S193 and "370"/\$.cols.	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/10/31 10:41
S197	8902	(global near3 address)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/10/31 10:41
S198	12	S196 and S197	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/10/31 10:41
S199	4	S198 and (@riad<"20030627" or @riad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/10/31 10:41

S200	34	(global near3 address) same (hand\$over or hand\$off)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/10/31 10:44
S201	13	S200 and (@riad<"20030627" or @riad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/10/31 10:44
S202	336	(global near3 address) and (hand\$over or hand\$off)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/10/31 10:46
S203	25	S192 and S202	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/10/31 10:47
S204	13	S203 and (@riad<"20030627" or @riad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/10/31 10:47
S205	17041	(inter or between) near4 router	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/10/31 10:53
S206	266	((inter or between) near4 router) with (hand\$off or hand\$over)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/10/31 10:53
S207	175	((inter or between) near4 router) near5 (hand\$off or hand\$over)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/10/31 10:53

S210	0	((inter or between) near4 router) near5 (hand\$off or hand\$over)) same (global near3 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/10/31 10:54
S211	8	((inter or between) near4 router) near5 (hand\$off or hand\$over)) and (global near3 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/10/31 10:55
S212	0	S211 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/10/31 10:55
S213	115	((inter or between) near4 router) near5 (hand\$off or hand\$over)) and (ip near3 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/10/31 10:56
S214	27	S213 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/10/31 10:56
S215	6	(global near3 address) near3 (unknown or "does not know")	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 12:56
S216	14	(global near3 address) with (unknown or "not known")	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 12:58
S217	575	370/331,353.ccls. and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 12:59

S219	20507	"370"/\$.cds. and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 12:59
S221	40591	hand\$off or hand\$over	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 12:59
S223	16974	"455"/\$.cds. and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 13:00
S225	8971	(global near3 address)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 13:01
S226	17	S217 and S225	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 13:01
S227	264	(fast binding) or f-bu	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 13:02
S229	5	S223 and S226	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 13:02
S230	6	(global near3 address) near3 unknown	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 13:06

S231	11872	((fast binding update) or \$bu	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 13:11
S232	13	S225 and S231	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 13:19
S233	9	S221 and S232	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 13:21
S234	0	S233 and (@riac<"20030627" or @riac<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 13:26
S235	705	((global\$3 near3 rout\$5) near4 address)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 13:27
S236	229	S235 and encapsulat\$3	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 13:28
S237	2	S236 and S231	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 13:28
S238	35	S221 and S236	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 13:29

S239	8	S238 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 13:29
S240	5037	(mobile node) and (global near3 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 13:34
S241	325	S221 and S240	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 13:34
S242	1593	(mobile node) same (global near3 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 13:35
S243	1094	(mobile node) with (global near3 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 13:35
S244	8	(mobile node) with (global near3 address) with (hand\$off or hand\$over)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 13:36
S245	0	S244 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 13:36
S246	23	(mobile node) same (global near3 address) same (hand\$off or hand\$over)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 13:36

S247	9	S246 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 13:37
S248	37398	((private and public) near4 network)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 14:01
S249	2079	S221 and S248	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 14:01
S250	62	S225 and S249	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 14:02
S251	4681	(unknown or undisclosed or hidden or encapsulated or "not known") near3 address	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 14:03
S252	10	S250 and S251	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 14:03
S253	4	S252 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 14:03
S254	3566	(hidden or unknown) near3 (address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 14:20

S255	40	S223 and S254	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 14:21
S256	8	S221 and S255	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 14:21
S258	80	((binding or rout\$3) near3 table) near4 (net\$5 near2 (identifier or id))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 15:54
S259	7	S221 and S258	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 15:54
S260	1	S259 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 15:54
S261	39	((binding or rout\$3) near3 table) near4 (global near3 address)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 15:57
S262	5	S261 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 15:58
S263	3	(fast adj binding) with (global near3 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 16:02

S264	461	370/331.cds. and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 16:08
S265	1818	(network near2 (id or identifier)) with table	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 16:09
S267	3	S264 and S265	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 16:11
S269	6	(binding near3 table) same (global near3 address)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 16:17
S270	74	(binding near3 table) and (global near3 address)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 16:18
S271	16	(binding near3 table) with ((access near2 point) or ap)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 16:21
S272	4	S271 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 16:21
S273	32	(binding near3 table) and pdsn	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 16:23

S274	4	(binding near3 table) with pdsn	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 16:23
S275	6	(binding near3 table) same pdsn	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 16:23
S276	0	S275 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 16:23
S277	59	(network near2 (id or identifier)) with (global near2 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 16:31
S278	11	S277 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 16:32
S280	47	ip near3 (fast near2 (hand\$off or hand\$over))	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 16:54
S281	5	(ip near3 (fast near2 (hand\$off or hand\$over))) with router	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 16:54
S282	1	S281 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 16:55

S283	614	((hand\$off or hand\$over) with (access\$3 near3 router))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:57
S285	33	((hand\$off or hand\$over) with (access\$3 near3 router)) and (global near3 address)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:58
S286	1	((hand\$off or hand\$over) with (access\$3 near3 router)) same (global near3 address)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 16:58
S287	10	S285 and (@riac<"20030627" or @riac<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 16:59
S288	2	"20060062214".pn.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 18:38
S289	22	(US-20020191562-\$ or US-20030086425-\$ or US-20060184681-\$ or US-20050226197-\$ or US-20010044305-\$ or US-20040090937-\$ or US-20060198372-\$ or US-20060209823-\$ or US-20030012204-\$ or US-20070127495-\$ or US-20030225892-\$ or US-20080013487-\$).did. or (US-6389010-\$ or US-6992995-\$ or US-6970459-\$ or US-6473411-\$ or US-6064887-\$ or US-7027582-\$ or US-7010296-\$ or US-6907017-\$ or US-6651105-\$ or US-7340768-\$).did.	US-PGPUB; USPAT	ADJ	ON	2008/11/20 18:47
S290	0	S289 and care\$3address	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 18:48
S291	4	S289 and care\$of\$address	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/20 18:48

S292	1536	binding near2 update	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 18:51
S293	22	(binding near2 update) with ((network or (base station)) near2 (id or identifier))	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 18:53
S294	4	S293 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 18:54
S295	11107	correlat\$3 with (binding)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 19:04
S296	3	correlat\$3 with (binding table)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 19:04
S297	139	S292 and correlat\$3	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 19:07
S298	6	S297 and S285	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 19:08
S299	1279	network near4 (global near3 address)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 19:10

S300	41	S299 and ((binding update) or f\$bu)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 19:11
S301	6	S300 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 19:11
S302	8	((inter or between) near4 router) near5 (hand\$off or hand\$over)) and (global near3 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 19:17
S304	544	(correlat\$3 or compar\$5) with (binding near3 (update or table))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 19:19
S305	4	S299 and S304	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 19:19
S306	10	(unknown or concealed or hidden or "not known") near3 (global near3 address)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/20 19:41
S307	3	S306 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/20 19:41
S308	2	"6018657".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/11/23 22:22

S309	731	ip near2 (hand\$over or hand\$off or handover or handoff)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 07:13
S310	7553	global near2 address	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 07:13
S311	0	S309 with S310	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 07:13
S312	1	S309 same S310	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 07:14
S313	40	S309 and S310	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 07:14
S314	16	S313 and (@riad<"20030627" or @riad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 07:14
S315	7	ipv6 and S314	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 08:11
S316	392	unknown near3 (ip near2 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 09:03

S317	0	unknown near3 ((ip near2 address) near2 global)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 09:04
S318	1	(unknown near2 (ip near2 address)) with global	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 09:05
S319	111	hid\$3 near3 mobility	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 09:17
S320	40	S319 and ipv6	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 09:17
S321	4	S319 same ipv6	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 09:17
S322	0	S321 and (@riad<"20030627" or @riad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 09:18
S323	5	S320 and (@riad<"20030627" or @riad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 09:18
S324	2	"4706081".pn.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 14:18

S325	188	(first near5 address) with unknown	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 14:21
S326	6	(global near2 address) near3 unknown	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 14:23
S327	1	S326 and (@riad<"20030627" or @riad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 14:23
S328	904	wlan with roam\$3	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 15:20
S329	0	(wlan with roam\$3) with (global near2 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 15:21
S330	211	(wlan with roam\$3) with (cellular or gsm or gprs)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 15:21
S331	5	(global near2 address) and S330	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 15:22
S332	0	S331 and (@riad<"20030627" or @riad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 15:22

S333	342	(wlan with roam\$3) same (cellular or gsm or gprs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 15:22
S334	53	S333 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 15:22
S335	0	(global near2 address) and S334	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 15:23
S336	3	(global near2 address) and ((secure mobility gateway) or SMG)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 15:27
S337	53	S334 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 15:27
S338	3	S336 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 15:27
S339	473	(global address) same private	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 17:52
S340	17	(global address) same (private network) same (public network)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 17:52

S341	4	S340 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 17:52
S342	1	regardless with know\$3 with (global near2 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 17:59
S343	53	regardless same (know\$3 or unknown) same (global near2 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 18:01
S344	25	S343 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 18:01
S345	7	unknown near5 (global near2 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 18:04
S346	1	S345 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 18:04
S347	11	(fast near2 binding) and (global near2 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 18:09
S348	58	(access point) with (global address)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 18:20

S349	0	S348 same (handoff or handover or hand\$off or hand\$over)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 18:21
S350	43	S348 and (handoff or handover or hand\$off or hand\$over)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/04/23 18:21
S351	42	S350 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/23 18:21
S352	293	(370/313).OCLS	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/12/09 05:45
S353	3502	(370/349).OCLS	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/12/09 05:46
S354	6676	(370/389).OCLS	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/12/09 05:55
S355	10311	S352 S353 S354	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/12/09 05:59
S356	281	fast binding	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/09 06:00

S357	4	S355 and S356	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/12/09 06:00
S358	47347	((aware or know\$2) near4 address)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/09 06:05
S359	8207	mobility near3 manag\$6	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/09 06:06
S360	776	S358 and S359	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/09 06:06
S361	7098	mobility manag\$6	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/09 06:06
S362	668	S358 and S361	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/09 06:06
S363	246	transparent\$3 and S362	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/09 06:07
S364	96	S363 and (@riad<"20030627" or @riad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/12/09 06:08

S365	8993	global\$3 near2 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 06:10
S366	21	S364 and S365	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 06:10
S367	38	(mask or maskrad\$3 or hid\$4 or scrambl\$3 or encrypt\$3) near3 (global address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/09 06:15
S368	24	S367 and (@riad<"20030627" or @riad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 06:16
S369	44	(global\$3 near2 address) with (unknown or hidden or barred or prohibited or encrypt\$3 or scrambl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 06:21
S370	12	S369 and (@riad<"20030627" or @riad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 06:22
S371	3581	(global address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/09 06:26
S372	17	(global address) near4 (unknown or hidden or scrambled or encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/09 06:27

S373	6	S372 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/12/09 06:27
S374	543	((global or network) address) near4 (unknown or hidden or scrambled or encrypt\$3)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/09 06:31
S375	6	((((global or network) address) near4 (unknown or hidden or scrambled or encrypt\$3)) near5 ((mobile or roam\$3) near2 (entity or node or device or station or telephone or phone))	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/09 06:34
S376	3	S375 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/12/09 06:34
S377	3474	370/331.cds.	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/12/10 09:09
S378	6664	370/338.cds.	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/12/10 09:09
S379	8453	370/352.cds.	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/12/10 09:19
S380	8712	370/401.cds.	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/12/10 09:20

S381	23930	S377 S378 S379 S380	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/12/10 09:20
S383	0	(global near2 address) near3 ((transparent\$3 or hid\$4 or unknown or conceal\$3 or mask\$3) near2 (UE or ((mobile or wireless or cell or cellular or portable or hand\$held) adj (phone or telephone or device or unit or terminal or node or entity))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/10 09:24
S384	0	((global near2 address) near3 ((transparent\$3 or hid\$4 or unknown or conceal\$3 or mask\$3)) near2 (UE or ((mobile or wireless or cell or cellular or portable or hand\$held) adj (phone or telephone or device or unit or terminal or node or entity))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/10 09:25
S385	129	(global near2 address) near3 (transparent\$3 or hid\$4 or unknown or conceal\$3 or mask\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/10 09:26
S386	977578	(UE or ((mobile or wireless or cell or cellular or portable or hand\$held) adj (phone or telephone or device or unit or terminal or node or entity)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/10 09:27
S387	0	S385 same S386	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/10 09:27
S388	9	S385 and S386	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/10 09:27
S389	8	S385 and S381	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/10 09:28

S390	1	S388 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/12/10 09:28
S391	3	S389 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/12/10 09:29
S392	19	(global near2 address) near3 (transparent\$3 or hid\$4 or unknown or conceal \$3)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/10 09:31
S393	2	S392 and S381	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/10 09:32
S394	0	S393 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/12/10 09:32
S395	709	(global near2 address) and S381	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/10 09:37
S396	1	((global near2 address) near2 (unknown or transparent\$3)) and S381	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/10 09:38
S397	7	((global near2 address) near2 (unknown or transparent\$3 or hid\$3 or encrypt \$4)) and S381	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/10 09:38

S398	3	S397 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/12/10 09:39
S399	19	((global or public) near2 address) near2 (unknown or transparent\$3 or hid\$3 or encrypt\$4) and S381	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/10 09:49
S400	6	S399 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/12/10 09:50
S401	150	((global or public) near2 address) near2 (unknown or transparent\$3 or hid\$3 or encrypt\$4)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/10 09:52
S402	48	S401 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/12/10 09:52
S403	0	((global address) or (public address)) near3 (unknown or transparent\$3) and (mip or mobility or (mobile (node or entity)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/10 13:38
S404	8	((global address) or (public address)) near3 (unknown or transparent\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2009/12/10 13:38
S405	1	S404 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/12/10 13:39

S407	156	(private near2 network) near3 roam\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/11 09:39
S408	26	((private near2 network) near3 roam\$3) and (nat or (network address translator))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/11 09:40
S409	5	S408 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 09:40
S410	26	((fast and IP) near2 (hand\$over or hand\$off)) and (fast near2 bind\$3) and (access near2 router)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/10 13:27
S411	3	S410 and (@rlad<"20030627" or @rlad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/10 13:27
S412	20	("20040008645" "20040081122" "20040114553" "6137791" "6243581" "6708031" "6760444" "6876640" "6904055" "7161914" "7173924"). PN. OR ("7280505"). UPPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/06/10 13:29
S413	0	((access point) or ap) near3 (hand\$off or hand\$over)) same (global near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/10 15:07
S414	84	((access point) or ap) near3 (hand\$off or hand\$over)) and (global near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/10 15:07

S415	0	((access point) or ap) near3 (hand\$off or hand\$over)) and ((global near3 address) with (transparent\$3 or unknown or unaware or blind\$3))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2010/06/10 15:08
S416	2	((access point) or ap) near3 (hand\$off or hand\$over)) and ((global near3 address) same (transparent\$3 or unknown or unaware or blind\$3))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2010/06/10 15:08
S417	0	S416 and (@riad<"20030627" or @riad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/06/10 15:09
S418	177	((global near3 address) same (transparent\$3 or unknown or unaware or blind\$3))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2010/06/10 15:11
S419	4	S418 and (access router)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2010/06/10 15:13
S420	0	S419 and (@riad<"20030627" or @riad<"20030627")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/06/10 15:13
S421	78	(fast near2 (hand\$over or hand\$off)) and (fast near2 bind\$3) and (access near2 router)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2010/06/10 16:13
S422	310	((old and new) or (source and target)) near3 ((access router) or ar)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2010/06/10 16:15

S423	12	S421 and S422	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2010/06/10 16:15
S424	1	S423 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/06/10 16:15
S425	3	S421 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/06/10 16:17
S426	6	(mobile near3 initiat\$5) same stateless	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/06/10 16:19
S427	3	S426 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/06/10 16:19
S428	31	(ip near2 (hand\$over or hand\$off)) and (fast near2 bind\$3)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/06/10 16:22
S429	3	S428 and (@rlad<"20030627" or @rlad<"20030627")	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/06/10 16:22
S430	307	(ip near2 (hand\$over or hand\$off)) and (access near2 router)	US-PGRUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/06/10 16:23

S431	13	((ip near2 (hand\$over or hand\$off)) and ((access near2 router) with (target and source)))	US-PGPUB; USPAT; EPO; JPC; DERWENT; BM_TDB	OR	ON	2010/06/10 16:24
S432	4	S431 and (@riad<"20030627" or @riad<"20030627")	US-PGPUB; USPAT; EPO; JPC; DERWENT; BM_TDB	OR	ON	2010/06/10 16:24

6/11/2010 1:41:29 PM

C:\Documents and Settings\agonzalez\My Documents\EAST\Workspaces\10776502.wsp